STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT NOTICE TO CONTRACTORS

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, January 13, 2009, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 732 (7th Floor) of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and read aloud in Room 701 (located adjacent to Room 732) of the Hill Farms State Transportation Building.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

<u>PROPOSAL GUARANTY</u>. With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND SAMPLE PROPOSALS. The Department has plans and sample proposals for the work on file and available for office examination in the Bureau of Project Development in Madison and in its respective regional offices in whose territory the work is located.

Orders for plans and proposals must be submitted on the Proposal Request Form furnished by the Department. Copies of this form may be obtained at the Bureau of **Project** Development Madison, http://www.dot.wisconsin.gov/forms/docs/dt1633.doc, or by calling (608) 266-1631. A CD ROM containing Adobe Acrobat files (.pdf) of all of the plans and sample proposals in the letting will be issued rather than paper copies when a plan and/or sample proposal is ordered. The cost of the CD ROM is \$10.00. Contractors may take the CD ROM to a private print shop or use their own equipment to print the plans and/or sample proposals. CD ROMS may be purchased in person Monday through Thursday 8 AM to 4 PM or Friday 8 AM to 12 PM at the Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin. CD ROMS may also be ordered by submitting a completed Proposal Request Form by mail to the Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916, by fax at (608) 266-8459, or by e-mail at constplans.dtid@dot.state.wi.us. For CD ROMS ordered by mail, include a check or money order in the amount of \$10.00, which includes the sales tax, made payable to the Wisconsin Department of Transportation. For CD ROMS ordered by fax or by e-mail, the purchaser will be billed. The Department will not refund payments made for CD ROMS. Purchasers need not return CD ROMS to the Department.

BIDDING PROPOSALS. BIDDERS MUST REQUEST BIDDING PROPOSALS ON THE PROPOSAL REQUEST FORM FURNISHED BY THE DEPARTMENT. BIDDERS MUST SUBMIT THEIR REQUEST TO THE BUREAU OF PROJECT DEVELOPMENT NO LATER THAN 11:45 A.M. OF THE LAST BUSINESS DAY PRECEDING THE LETTING. BIDDERS MAY OBTAIN THE PROPOSAL REQUEST FORM AT THE BUREAU OF PROJECT DEVELOPMENT IN MADISON, AT http://www.dot.wisconsin.gov/forms/docs/dt1633.doc, OR BY CALLING (608) 266-1631.

HOURS OF LABOR AND MINIMUM WAGE RATES. Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION. The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

<u>APPRENTICE REQUIREMENTS</u>. As a condition of performing work on all proposals hereinafter described in this advertisement, each contractor or subcontractor agrees to employ apprentices as set forth in the bidding proposals and pursuant to Executive Order #108.

AFFIDAVIT OF NON-COLLUSION. Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

QUALIFICATIONS OF BIDDERS. Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than five days prior to the time set for submitting bidding proposals on a form furnished by the Department. The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under thei classifications.
GENERAL CONSTRUCTION (Prequalification Rating Applicable) 21
GRADING (Prequalification Rating Applicable) 21
CONCRETE PAVEMENT (Prequalification Rating Applicable)
ASPHALTIC PAVEMENT (Prequalification Rating Applicable)
STRUCTURES (Prequalification Rating Applicable)
BRIDGE PAINTING (Prequalification Rating Applicable)
INCIDENTAL CONSTRUCTION (Prequalification Rating Applicable)

21. Lake Delton - Sauk City Road, IH 90 / 94 - Terrytown Road; Sauk County; 1674-00-72, EB 2008656; USH 12; 5.706 Miles; Grading, Select Crushed Material, Breaker Run, Base Aggregates, Concrete Pavement, HMA Pavement, Culvert Pipes, Sanitary Sewer, Water Main, Storm Sewer, Concrete Curb and Gutter, Concrete Sidewalk, Concrete Barrier, Pipe Underdrain, Steel Plate Beam Guard, Fencing, Signing, Planting Trees and Shrubs, Pavement Marking, and Lighting.

Guaranty Required \$100,000.00

Estimate of Principal Items: Excavation Common, 2,263,740 CY; Borrow, 790,713 CY; Base Aggregate Dense, 367,509 Ton; Select Crushed Material, 1,400 Ton; Base Aggregate Open Graded, 50 Ton; Breaker Run, 325 Ton; Concrete Pavement, 23,956 SY; Concrete Masonry Endwalls, 37 CY; Pavement Marking Preformed Plastic, 4,968 LF; Pavement Marking Wet Reflective Tape, 2,145 LF; Pavement Marking Epoxy, 111,231 LF; Construction Staking, 479,243 LF; Construction Staking, 618 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 7,426 Dol; Incentive Density HMA Pavement, 28,914 Dol; Incentive IRI Ride, 5,981 Dol; Culvert Pipe, 22 LF 12", 346 LF 24", 122 LF 15", 124 LF 30", 1,945 LF 18"; Culvert Pipe Corrugated Steel, 23 LF 72"; Pipe Arch Corrugated Steel, 59 LF 21" X 15"; Culvert Pipe Reinforced Concrete Class III, 75 LF 12", 416 LF 30", 1,672 LF 48", 227 LF 18", 587 LF 36", 4,707 LF 24", 494 LF 42", Class IV, 223 LF 24", 583 LF 48", 407 LF 36", 748 LF 72", 490 LF 42", Class V, 598 LF 36"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 64 LF 19" X 30", 262 LF 34" X 53", 156 LF 24" X 38", 181 LF 38" X 60", 462 LF 29" X 45"; Concrete Curb, 2,534 LF; Concrete Curb and Gutter, 48,880 LF; Concrete Sidewalk, 71,040 SF; Steel Plate Beam Guard, 3,700 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 15 Each; HMA Pavement Type E-10, 22,133 Ton, Type E-0.3, 5,549 Ton, Type E-1, 10,548 Ton; Salvaged Asphaltic Pavement Milling, 2,200 SY; Asphalt MS, SS, CSS, 4,035 Gals; Asphaltic Material, 3,877 Ton; Removing Pavement, 6,700 SY; Route and Seal, 9,010 LF; Concrete Pavement Approach Slab, 800 SY; Concrete Driveway, 769 SY; Concrete Surface Drains, 25.20 CY; Asphaltic Surface Temporary, 6,950 Ton; Asphaltic Flumes, 155 SY; Concrete Barrier Single-Faced, 4,020 LF; Slope Paving Crushed Aggregate, 4,880 SY; Storm Sewer Pipe Reinforced Concrete, 2,453 LF 12-Inch, 2,372 LF 15-Inch, 1,680 LF 18-Inch, 9,458 LF 24-Inch, 2,960 LF 30-Inch, 777 LF 36-Inch, 42 LF 48-Inch; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 51 LF 19" X 30", 578 LF 24" X 38"; Manholes, 107 Each; Inlets, 216 Each; Pipe Underdrain 6-Inch, 500 LF; Pipe Underdrain Unperforated 6-Inch, 75 LF, 12-Inch, 650 LF; Pipe Underdrain Wrapped 6-Inch, 500 LF; Slope Paving Crushed Aggregate Special, 2,709 SY; Chain Link Fence, 64,140 LF; Safety Fence, 7,210 LF; Concrete Median Sloped Nose, 2,238 SF; Trees, 78 Each; Shrubs, 511 Each; Signs Type I, 333 SF; Signs Type II Reflective, 3,272 SF; Conduit, 25,300 LF; Pull Boxes, 106 Each; Concrete Bases, 125 Each; Electrical Wire, 46,514 LF: Poles Type 5, 121 Each; Base ITS Controller Cabinet, 3 Each; Base Camera Pole 50-Foot, 3 Each; Seismograph, 1 Lump Sum; Crack and Damage Survey, 1 Lump Sum; Clay Liner and Embankment, 9,375 CY; Lighting Control Cabinet, 5 Each; Fire Hydrant, 6 Each; Water Main Ductile Iron, 3,432 LF 12-Inch, 21 LF 10-Inch, 59 LF 6-Inch; Sanitary Sewer Main,

155 LF 8-Inch, 3,524 LF 10-Inch; Casing Pipe Reinforced Concrete Class V, 6,279 LF 24-Inch, 320 LF 30-Inch; Colored Concrete Sidewalk, 55,350 SF; Splitter Island Crosswalk, 3,120 SF; Truck Apron Colored Concrete, 2,950 SY.

DBE Goal: 7 % Contract Completion Date: November 19, 2010

*** MANDATORY PRE-BID MEETING ***

DATE: November 19, 2008 **TIME:** 1 PM – 5 PM

LOCATION: Sauk County West Square Building

Room B-24

505 Broadway Street

Baraboo, WI

NOTE: No Meeting Minutes Will Be Prepared. Issues Discovered at The

Meeting Will Be Handled By Addendum.

For further information, contact: Anne Wallace, (608) 785-9048.

By order of:

Kevin Chesnik Administrator

Division of Transportation System Development